



LTF-A670 LED Mini Lightbar

LTF-A420 LED Mini Lightbar

LTF-A674 LED Mini Lightbar

SPECIFICATION :

- Voltage : DC 12/24V
- This mini light bar adopts bright LED light source(G-III) . It has advanced internal frame and low power consumption without pollution.
- The around material of lens is made of PC for penetrative ability.

- Top of the light is aluminum alloy and with good appearance.
- The LED Mini lightbar with middle speaker is very good appearance(LTF-A674)
- Size : 420mm L X 260 mm W X85mm H (LTF-A420)
670mm L X 260 mm W X85mm H (LTF-A670/A674)

LTF-A450 LED Mini Lightbar

LTF-A451 LED Mini Lightbar

LTF-A452 LED Mini Lightbar

SPECIFICATION :



- This mini lightbar adopts bright LED light source.
- It has advanced internal frame and low power consumption without pollution.
- The around material of lens is made of PC for penetrative Ability.
- Top of the light is aluminum alloy and with good appearance.

- This is a VERY bright 17" LED mini Lightbar.
- This lightbar comes with 4 90 lbs magnets, comes with a very long power cord with cigar plug.
- This lightbar has several flash patterns that can be changed by Switch Box .
- Light Source : G-II LEDs (LTF-A450:0.5WLED)

LTF-A486 LED Mini Lightbar

LTF-A488 LED Mini Lightbar

LTF-A480 LED Mini Lightbar

LTF-A484 LED Mini Lightbar

SPECIFICATION :

- Voltage : DC 12/24V
- Sleek design with clear lens for stealth look
- 24X1 watt LEDs(LTF-A484);20 X 1 watt LEDs(LTF-A486)
- All 5mm LEDs(LTF-A480/488)
- 15 self-contained flash patterns

- Flash pattern toggle switch
- Cigarette plug with on/off switch
- 4 - 60lb magnets
- Size:320mmX220mmX85mm(LTF-A486/488)
- 420mmX220mmX130mm(LTF-A480/484)

LTF-A350 LED Mini Lightbar

LTF-A86AB/LED Mini LED Lightbar

SPECIFICATION :


- Powered by 12V/24V
- Life Span: 100,000 hours Runs on G-2/G-3 LEDs
- Built in flash patterns synchronized and alternately flash
- Cigarette light plug can be installed

- Perfect for police fire EMS and construction vehicle lighting and airforce .
- Dimensions:600mmX300X120mm(LTF-A350)
- 600mmX300mmX90mm(LTF-A86AB/LED)

LTF-A780 LED Mini Lightbar



LTF-B835 LED Mini Lightbar



SPECIFICATION :

- Voltage : DC 12/24V
- Power: 20W(LTF-A780), 10W(LTF-B835)
- This light bar adopts bright G-II LED light source.
- It has advanced internal frame and low power consumption without pollution.

- The around material of lens is made of PC for penetrative ability.
- Top of the light is aluminum alloy and with good appearance.
- Size: 646mmX313mmX87mm(LTF-A780)
380mmX313mmX87mm(LTF-B835)
- Net Weight: 7.5 KGS(LTF-A780); 3KGS(LTF-B835)


LTF-A900AB-45 LED Lightbar



LTF-A900AB-70 LED Lightbar





LTF-A900AB-90 LED Lightbar



SPECIFICATION :

- Life Span: 100,000 hours Runs on G-2/G-3 LEDs
- Voltage : DC 12/24V
- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.

- Base: Aluminum alloy material with high strength.
- Size : 450mmx300mmx80(45)mm(LTF-A900AB-45)
700mmx300mmx80(45)mm(LTF-A900AB-70)
900mmx300mmx80(45)mm(LTF-A900AB-90)



LTF-B311 LED Mini Lightbar

LTF-B314 LED Mini Lightbar

SPECIFICATION :

- This mini lightbar adopts bright LED light source.
- It has advanced internal frame and low power consumption 3 without pollution.
- The material of lens is made of PC for penetrative ability.
- Light Source : 0.5W LED(LTF-B311), 1W LED(LTF-B314)

- Light power: 54.7W(LTF-B311);23W(LTF-B314)
- Rated Voltage:DC 12V
- Light Color:Blue Red Amber White
- Outside Cover Color:Blue Red Amber Clear
- Bottom Material:Aluminum

LTF-A931AB-45 LED Lightbar

LTF-A931AB-70 LED Lightbar

LTF-A931AB-90 LED Lightbar

SPECIFICATION :

- Life Span: 100,000 hours Runs on G-2/G-3 LEDs
- Voltage : DC 12/24V
- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.

- Base: Aluminum alloy material with high strength.
- Size : 450mmx300mmx80(45)mm(LTF-A931AB-45)
700mmx300mmx80(45)mm(LTF-A931AB-70)
900mmx300mmx80(45)mm(LTF-A931AB-90)

LTF-A500AB-70 LED Matrix Lightbar

SPECIFICATIONS (LTF-A500AB-70)

- Voltage: 12V DC
- 10 weathered fixed patterns
- Strong magnetic mounting
- 30 feet of cable provided
- Dimensions: 27" L x 12" x 2.5" height
- Operates on up to 1000 watts
- Works on 5000K or 6000K LEDs
- Red, Blue, Amber and White LEDs are available

LTF-A600AB-70 LED Matrix Lightbar

SPECIFICATIONS (LTF-A600AB-70)

- Life Span: 100,000 to 2,000,000 hrs
- Voltage: 12V DC
- Durable, impact-resistant PC material with excellent impact and high-impact strength ability
- Base: Aluminum alloy material with high strength
- Light Colors: Blue, Red, Amber, White
- Encoder Color: Green, Blue, Red, Amber, Green
- Height: 2.5" (63.5mm)

LTF-C612 LED Matrix Lightbar

SPECIFICATION

- This new lightbar design length LED light source
- It has advanced energy saving and low power consumption without pollution. The energy saving of up to 50% of PC for previous design
- Top of the lightbar is aluminum alloy and with great appearance

LTF-C614 LED Matrix Lightbar


- This lightbar consists with 4 LED light sources, spaced with a very long interval with right angle
- This lightbar has same as fixed patterns like as on changed for fixed bar
- Light Source: 50W, 100W, 200W

LTF-C646 Super Floodlight Lightbar

SPECIFICATION

- PC lenses and stainless steel tube protect LED bulbs, energy saving, low consumption, environmental protection. With good air circulation
- Type: PC Floodlight's power (100W)
- Color: Red/Blue/Amber/White

- LED module: 100 LED/200W or 100W module
- Power: 100W
- Material: PC lenses
- Cable: 4 meters cable is available
- Dimensions: 200x100x100mm
- Packaging: 100x100x100mm (avg) box included

LTD715 Rotator Light



LTD716 Rotator Light



LED718 Mini Lightbar



SPECIFICATION(LTD715/LTD716) :

- Voltage :DC12V/DC24V
- Material:PC Material
- Color:Red,Blue,Amber,Clear
- Integrated circuit design
- High quality spiral halogen lamp tube(LTD715)
- High quality xenon lamp tube(LTD716)
- Very bright, high penetration rate
- Excellent performance, high durability, long lifespan

SPECIFICATION(LED718) :

- Voltage :DC12V/DC24V
- Power:0.2W
- Integrated circuit design
- This light bar adopts bright G-II LED light source
- Very bright, high penetration rate
- Excellent performance, high durability, long lifespan
- Lens Color:Red,Blue,Amber,Green
- N.W/G.W:13.5KGS/15KGS


LTF-B820 LED Round Lightbar



LTF-B824 LED Round Lightbar



LED950 LED Mini Lightbar





SPECIFICATION(LTF-B820/824) :

- This mini lightbar adopts bright LED light source.
- It has advanced internal frame and low power consumption without pollution.
- The material of lens is made of PC for penetrative ability.
- Working voltage: 12V/24V
- Size:232*222*61(79mm)

SPECIFICATION(LED950) :

- Working voltage: 12V/24V
- Light Sources::LED High Power LED
- LED Power:1W
- 8 modules high brightness LED lights LED Color:Red/Blue
- Packing Size:500*270*120mm

LTF2-A62B Strobe Pulsa Mini bar



SPECIFICATION(LTF2-A62B) :

Nice color lampshade is made of PC material, low weight and not easy lose color. frame with stainless steel and aluminum alloy, strongly against shock.. A cigar cord for power connection.

- The rated work voltage: DC12V (DC 10.8~13.8 V).
DC24V (DC 21.6~27.6 V)
- The length of the light: 0.60m.
- The luminance: > 800LX.
- The environment temperature: -40degree~ +50degree
- Rated power: 24W
- Flash frequency: 150 times/minute.

LTF2-A63 Rotator Pulsa Mini bar




SPECIFICATION(LTF2-A63) :

Nice color lampshade is made of PC material, low weight and not easy lose color. frame is made of stainless steel with aluminum alloy, strongly against shock. A cigar cord for power connection, for easy to wiring.

- The rated work voltage: DC12V (DC 10.8~13.8 V).
DC24V (DC 21.6~27.6 V)
- The length of the light: 0.60m.
- The luminance: > 800LX.
- The environment temperature: -40degree~ +50degree
- Rotating frequency: 130 circles/minute.
- Rotating lights power: 55WX2PCS
- Alley lights power: 23WX2PCS

LED2-A62B Pulsa Mini bar



LED2-A60 LED Mini Lightbar



515X280X150mm

SPECIFICATION(LED2-A62B) :


It has advantage of long life and high brightness and low power waste. In streamline crust, LED lights can glowing strong light in two direction, even in fog weather, it have strong pierce through ability. Nice color lampshade is made of PC material, low weight and not easy lose color. frame with stainless steel and aluminum alloy, strongly against shock. A cigar cord for power connection, and on top of it there have moment switch for pattern control.

- The rated work voltage: DC12V (DC 10.8~13.8 V).
DC24V (DC 21.6~27.6 V)
- The length of the light: 0.60m.
- The luminance: > 800LX.
- The environment temperature: -40 degree~ +50 degree
- Rated power: 5.4WX10PCS
- Flash frequency: 15 kinds pattern

SPECIFICATION(LED2-A60) :

- Life Span: 100,000
- Voltage: DC12/24V
- Power: 170W and Gen-II LED's Multi- flash patters to pick from .
- Dome: Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Cigarette light plug can be installed and Perfect for police fire and construction vehicle lighting.
- Size : 500*270*140mm
- Net Weight: 6.5KGS


LED2-A58AB Mini Lightbar



SPECIFICATION(LED2-A58AB) :

- 8 LED modules with alternating flash pattern
- Steady alley lights, each side with separate control
- 12 foot cord with cigarette adapter
- Steadfast magnetic mount
- Includes 3 button control box

LED2-A59AB Mini Lightbar



SPECIFICATION(LED2-A59AB) :

- 10 LED modules with automatic alternating flash pattern
- Light is clear when off for a stealthy look
- 1 Steady alley light each side with separate controls 12 foot Cord with cigarette adapter
- Steadfast magnetic mount includes 3 button
- Control box size 22 1/2" x 12 1/2 W x 3 1/2"H


LTF2-A58FB Strobe Lightbar



LTF2-A58AB Strobe Lightbar



LTF2-A60AB Mini Light bar



500X270X140mm

SPECIFICATION(LTF2-A58FB/LTF2-A58AB) :

Solid strobe lights in the front, rear and sides for maximum warning power and high visibility and rapid flash pattern rapid alternating flashers in front & back for maximum visibility .

2 clear alley lights and magnetic mounts 12-foot cord connects directly to the battery Steadfast magnetic mounting .
2 Alley lights, each controlled separately with a 3 button control box

SPECIFICATION(LTF2-A60AB) :

- Life Span:100,000
- Voltage:DC12/24V
- Power : 170W and 8 strobe bulbs and 4 flash lights Multi-flash patters to pick from .
- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Cigarette light plug can be installed and Perfect for police fire and Construction vehicle lighting.
- Size: 500*270*140mm

LED900 LED Mini Lightbar



SPECIFICATION(LED900) :

- Life Span:100,000 12/24V
- Power : 15 W and Gen-II 16PCS LED's in one module ,16 Flash patters to pick from
- DomeE : Imported high-strength PC material with excellent Lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Cigarette light plug can be installed and Perfect for police fire and construction vehicle lighting.
- 3 Switch box control the mini light bar .
- Size : 580*345*100mm
- Net Weight: 6KGS

LTF-A300AB-70 LED Mini Lightbar



580X345X100

SPECIFICATION(LTF-A300AB-70) :

PC and aluminium alloy material; Low power,long operating life; LED bulbs,energy saving,low consumption,environmental protection

- Volts: DC12V(DC24V,please note us)
- Color: red/blue/amber/clear
- LED module: LED
- Flash patterns: Many flash patterns
- Power: 30W
- Material: PC lenses,
- Cable: 4 meters cable available
- Dimension: 535*140*65mm
- Packing: 575*165*90mm/5kg/1pc/1carton

LTF-C640 LED Mini Lightbar



LTF-M200 Mini LED Lightbar



SPECIFICATION :

- Voltage: 12VDC and 3A
- 36 x 3W LEDs with 15 flash patterns
- Red,Blue,Amber and White color available
- Dual color LEDs available
- Light is clear when off a stealthy look
- 10 foot cord with double switch of cigarette adapter
- With plastic base; wind-resistant, dust-proof and anti-humidity
- Magnetic installation

SPECIFICATION :

- This product adopts double-layer aluminum alloy boards structure
- The light bar has good sealing and waterproof.
- It has 7 kinds flash patterns .
- It can be installed on all kinds of special vehicles.
- The rated work voltage: DC12V (range DC10.8V-13.8 V).
- The length of the light bar: 200mm;
- The max. Lightened bound: > 800LX.
- Waste currant:1.2A(max) and total power: 14W

LED920 Mini Lightbar




SPECIFICATION :

This product adopts double-layer aluminum alloy boards structure, which has distinct outline stronger percussion-resistant capability, and is not easy to lose color and get aged. Moreover, the light bar has good sealing and waterproof. And it has advantage with high brightness and low power waste. It has 7 kinds flash patterns . It can be installed on all kinds of special vehicles. Even in extremely complicated, circumstances, it can transmit emergency signal correctly.

The main capability parameter

- The rated work voltage: DC12V (range DC10.8V-13.8 V).
- The length of the light bar: 20cm 3) The max. Lightened bound: > 800LX.
- The environment temperature: -40 Degree~ +50 Degree.
- Waste current: 1.2A(max)
- Total power: 14W




LTD720 Mini Lightbar



SPECIFICATION :

- Dual 35 watt halogen rotators
- 125 flashers per minute
- 12V 9 Amps.
- 10 ft heavy-duty power cord with cigarette lighter plug and on-off switch

- The four magnets that are rubber covered to protect the vehicles paint
- UV Stabilized and Strong Polycarbonate lens, Made for all weather conditions
- Size: 400* 200* 130mm




LTF-A301A Mini Lightbar



SPECIFICATION :

- Light sources:High power LED
- 10 3LED modules with 15 flash patterns
- Light is clear when off for a stealthy look
- 10 foot cord with cigarette adapter
- Steadfast 40 LB magnetic mount

- This lightbar is fully encapsulated and fully waterproof
- LED color:Red/Blue/Amber/White
- Size: 380*313* 73(87mm)
- Packing Size: 180 *325* 300mm



LTF-A601A Mini Lightbar



SPECIFICATION :

- Light sources:High power LED
- 14 4LED MODULES with 15 flash patterns
- Light is clear when off for a stealthy look
- 10 ft cord with cigarette adapter
- Steadfast 40LB magnetic mount.

- This lightbar is fully encapsulated and fully waterproof
- LED color:Red/Blue/Amber/White
- Size: 646mm L x313mm W x 73mm(87mm) H
- Packing size:730 x 390 x 240mm

