


LTF2000 SERIES

Strobe Lightbars



SPECIFICATION:

- Working voltage:DC12V/24V
- Materials:Aluminum Base and PC Dome
- Dome : PC material
- Bulb : 2 flash bulbs and 12 strobes
- Siren Power : 80W, 100W,150W
- Power : 272W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1260*385*245
- N.W/G.W:13.5KGS/15.5KGS
- QTY PER CARTON:1PC



LTF2201 Ultra-Thin Strobe Lightbar



LTF2202 Ultra-Thin Strobe Lightbar



LTF2203 Ultra-Thin Strobe Lightbar



LTF2204 Ultra-Thin Strobe Lightbar





LTF2205 Ultra-Thin Strobe Lightbar



LTF2206 Ultra-Thin Strobe Lightbar

LTF2000 SERIES

Revolving Lightbars



SPECIFICATION:

- Working voltage:DC12V/24V
- Materials:Aluminum Base and PC Dome
- Bulb : 4 halogen bulbs and 4 flash bulbs
- Siren Power : 80W, 100W,150W
- Power : 204W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1260*385*245
- N.W/G.W:13KGS/15KGS
- QTY PER CARTON:1PC



LTF2101 Ultra-Thin Revolving Lightbar



LTF2102 Ultra-Thin Revolving Lightbar



LTF2103 Ultra-Thin Revolving Lightbar



LTF2104 Ultra-Thin Revolving Lightbar



LTF2105 Ultra-Thin Revolving Lightbar





LTF2105 Ultra-Thin Revolving Lightbar



LTF2601 Ultra-Thin Revolving Lightbar (1.8m)

LTF2301

LED Lightbar


LTF2301 B/R
LED Lightbar

LTF2301 B/B
LED Lightbar

LTF2301 R/R
LED Lightbar

LTF2301 R/R
LED Lightbar


LTF2301 C/C
LED Lightbar

SPECIFICATION :

- Working voltage:DC12V/24V
- Materials:Aluminum Base and PC Dome
- Bulb : 8 units strobes and 37 LED tubes
- Siren Power : 80W, 100W,150W
- Power :320W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1260*385*245
- N.W/G.W:13KGS/15KGS
- QTY PER CARTON:1PC

LTF3000 SERIES

Strobe Lightbar


LTF3201 Primatic
Strobe Lightbar

LTF3202 Primatic
Strobe Lightbar

LTF3203 Primatic
Strobe Lightbar

LTF3204 Primatic
Strobe Lightbar

LTF3205 Primatic
Strobe Lightbar


LTF3206 Primatic
Strobe Lightbar

SPECIFICATION :

- Working voltage:DC12V/24V
- Materials:Aluminum Base and PC Dome
- Bulb : 12 strobes 2 alloy bulbs
- Siren Power : 100W,150W
- Power : 272W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1250*370*260
- N.W/G.W:17KGS/19KGS
- QTY PER CARTON:1PC

LTF3000 SERIES

Revolving Lightbars



SPECIFICATION :

- Working voltage:DC12V/24V
- DOME : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- BASE: Aluminum alloy material with high strength.
- BULB : 4 flashes bulbs,4 rotators and 2 swing bulbs
- Siren Power : 80W, 100W,150W
- Power :252W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1250*370*260
- N.W/G.W:13KGS/15KGS
- QTY PER CARTON:1PC



LTF3101 Ultra-Thin Revolving Lightbar



LTF3102 Ultra-Thin Revolving Lightbar



LTF3103 Ultra-Thin Revolving Lightbar



LTF3104 Ultra-Thin Revolving Lightbar




LTF3401 Ultra-Thin Revolving Lightbar



LTF3601 Ultra-Thin Revolving Lightbar (1.8m)

LTF3301

LED Lightbar



SPECIFICATION :

- Working voltage:DC12V/24V
- Materials:Aluminum Base and PC Dome
- Bulb : LED tubes
- Siren Power : 100W,150W; Power :300W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1250*370*260
- N.W/G.W:16KGS/18KGS



LTF3301 B/R LED Lightbar



LTF3301 B/B LED Lightbar



LTF3301 B/B LED Lightbar



LTF3301 A/A LED Lightbar





LTF3301 C/C LED Lightbar



LTF3301 B/R/A LED Lightbar

LTF8R900

LED Lightbar


LTF8R900 B/R
LED Lightbar

LTF8R900 B/B
LED Lightbar

LTF8R900 R/R
LED Lightbar

LTF8R900 A/A
LED Lightbar

LTF8R900 C/C
LED Lightbar

SPECIFICATION :

- Working voltage:DC12V/24V
- Materials: PC
- Bulb : 6pcs 0.5W Linear LED modules in upper layer, 4pcs 1W Tir LED modules in bottom
- LED Power: 0.5W-1W
- LED Color: Blue/Red, Red/Red, Amber/Amber
- Dome Color:Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1250*370*260
- N.W/G.W:13KGS/15KGS
- QTY PER CARTON:1PC

LTF3531

Ultra-Thin Prismatic Strobe Lightbar



LTF3538

Directional Strobe Lightbar




SPECIFICATION :

- Halogen Alley lights, each operating on its own switch
- 100W Speaker in Centre and Siren Amplifier(LTF-3531)
- Multiple warning light modes
- Traffic advisors Weather/shock resistant
- Permanent mount
- 12 foot cord connects directly to battery Control each function separately with a button control box.

LTF4000 SERIES

Strobe Lightbar



SPECIFICATION :

- Dome : PC material
- Bulb : Controller (it can be used discretely or together): Controlling eight strobes that work center-out in turn. Controlling four front-rear flashing bulbs and two left-right flashing bulbs that work in turn. Two left-right alley bulbs work chronically.

- Siren Power : 80W ,100W ,150W;
- Power : 272W
- Dome color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1260*380*295mm;
- N.W/G.W:16.5KGS/18.5KGS



LTF4201 Ultra-Thin Strobe Lightbar




LTF4202 Ultra-Thin Strobe Lightbar



LTF4203 Ultra-Thin Strobe Lightbar



LTF4204 Ultra-Thin Strobe Lightbar





LTF4205 Ultra-Thin Strobe Lightbar



LTF4205 Ultra-Thin Strobe Lightbar

LTF4000 SERIES

Revolving Lightbars



SPECIFICATION :

- Dome : PC material
- Base: Aluminum alloy material with high strength.
- Bulb : Bulb controller (it can be used discretely or together): Four rotators in the super-layer works synchronously. Two left-right alley bulbs work chronically. Four flashing bulbs work in the lower-layer in turn.
- Siren Power: 80W , 100W , 150W
- Light Source: Halogen
- Power: 252 W
- Dome Color : Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1265*380*285mm
- N.W/G.W: 16.5KGS/18.5KGS

SPECIFICATION (LTF4601):

- Dome: Imported high-strength PC material with excellent lustrous And high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb: (it can be used discretely or synchronously) Six rotators in the super-layer work synchronously. Two left-right alley bulbs work chronically. Six flashing bulbs work in the lower-layer in turn
- Siren Power: 100W , 150W
- Power: 290W
- Dome Color : Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1675*380*285
- N.W/G.W: 19KGS/21.5KGS



LTF4101 Street-hawk Revolving lightbar




LTF4102 Street-hawk Revolving lightbar



LTF4103 Street-hawk Revolving lightbar



LTF4104 Street-hawk Revolving lightbar





LTF4105 Street-hawk Revolving lightbar



LTF4601 Street-hawk Revolving Lightbar (1.8m)

LTF4402

Street-hawk Revolving Lightbar




SPECIFICATION :

- Dome: Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb: (it can be used discretely or synchronously):
Controlling four rotators that work in the left and right domes inside and one dual-reflect rotator that work inside the middle dome.
Two left-right alloy bulbs work chromically. 3. Controlling six flashing bulbs that work in turn.
- Power: 290W
- Dome color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1300*380*295mm
- N.W/G.W: 13KGS/15KGS

LTF4301

Street-hawk LED Lightbar




SPECIFICATION :

- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Contralling Way: Separate control switch or control switch in matched siren .
- Bulb : LED light With the functions of high brightness fine stability ,low energy consumption.
- Siren Power: 80W , 100W , 150W
- Power: 270 W
- Dome Color :
Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1260*380*290mm
- N.W/G.W: 16.5KGS/18.5KGS

LTF5101

Silver Shark Strobe Lightbar



SPECIFICATION :

- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb: 12 strobes and over 10 flashes bulbs .
- Siren Power: 100W
- Power: 300W
- Dome color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1270*350*225mm
- N.W/G.W:18.5KGS/20KGS
- QTY PER CARTON:1PC

LTF5201



Silver Shark Strobe Police Directional Strobe Lightbar



Front



Rear





SPECIFICATION :

- Dome: Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb : 12 strobes and over 10 flashes bulbs .
- Power: 330W
- Dome Color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1270*350*225mm
- N.W/G.W:18.5KGS/20KGS
- QTY PER CARTON:1PC

LTF5401

All Directional Lightbar





SPECIFICATION :

- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb : 12 strobes and over 10 flashes bulbs .
- Packing Size: 1270*350*225mm
- Power: 330W
- N.W/G.W:18.5KGS/20KGS
- QTY PER CARTON:1PC



LTF5501

All Directional LED Lightbar






SPECIFICATION :

- Dome: Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb :LED light With the functions of high brightness fine stability ,low energy consumption.
- Packing Size: 1270*350*225mm
- Power: 350W
- N.W/G.W:18.5KGS/20KGS
- QTY PER CARTON:1PC



LTF5611

Oval Revolving Lightbar



LTF5611B/R Oval Revolving Lightbar



LTF5611R/R Oval Revolving Lightbar



LTF5611B/B Oval Revolving Lightbar



LTF5611A/A Oval Revolving Lightbar





LTF5611C/C Oval Revolving Lightbar

SPECIFICATION :

- Voltage:DC12V/ 24V
- Power: 265W
- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Bulb:4pcs Rotating Lights, 12pcs Flash Lights, 2pcs Spot Lihgts & 2pcs Alley Light, with high quality Halogen-tungsten Bulbs
- Egg shape outline design and 2 layer lights of inside structure
- High quality fadeless Polycarbonate Lens with high rigidity and strong bounce impact
- Advanced gear driving mechanism with low wearing
- Excellent sealability with special water release design, water-proof, dust-proof, and durable in different weather conditions
- Packing Size: 1210*525*285mm
- N.W/G.W:20KGS/22.5KGS
- QTY/CARTON:1SET

LTF5621

Egg-Shape Strobe Lightbar



LTF5621B/R Egg-Shape Strobe Lightbar



LTF5621R/R Egg-Shape Strobe Lightbar



LTF5621B/B Egg-Shape Strobe Lightbar



LTF5621A/A Egg-Shape Strobe Lightbar





LTF5621C/C Egg-Shape Strobe Lightbar

SPECIFICATION :

- Voltage:DC12V/ 24V
- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb: Have eight strobes in the upper-layer, Fourteen flashing bulbs, two alley bulbs and two swing bulbs in the lower-layer, and one 100W speaker in the middle.
- Power: 280W
- Dome Color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1210*525*285mm
- N.W/G.W: 20KGS/22.5KGS

LTF5623

Egg-Shape Strobe Full Lightbar



LTF5623B/R Egg-Shape Strobe Lightbar



LTF5623R/R Egg-Shape Strobe Lightbar



LTF5623B/B Egg-Shape Strobe Lightbar



LTF5623A/A Egg-Shape Strobe Lightbar




LTF5623C/C Egg-Shape Strobe Lightbar

SPECIFICATION :

- Voltage:DC12V/ 24V
- Power: 280W
- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Bulb:10pcs Strobe Lights, 12pcs Flash Lights & 2pcs Alley Light, with high quality Halogen-tungsten Bulbs
- Egg shape outline design and 2 layer lights of inside structure
- High quality fadeless Polycarbonate Lens with high rigidity and strong bounce impact
- Advanced gear driving mechanism with low wearing
- Excellent sealability with special water release design,water-proof,dust-proof,and durable in different weather conditions
- Packing Size:1210*525*285mm
- N.W/G.W:20KGS/22.5KGS
- QTY/CARTON:1SET

LTF5702

Long Emergency Lightbar





SPECIFICATION :

- Dome: Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength warning light is a kind of super luxury caution light. It is made according to international advanced technology and fashionable style. It has characteristics of advanced structure, graceful line, beautiful surface and so on. We adopt the PC materials as the chimney, so it make the light become more bright, ametabolic and bring more perfect impacts to the light. It is ideal warning equipment in the Field of the police, fire proof, fire protection, ambulance car and other special fields.
- Dome Color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1275*425*260mm
- Power: 270W
- N.W/G.W:18.8KGS/21KGS
- TY/CARTON:1SET

LTF5722

Long Emergency Lightbar




SPECIFICATION :

- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength warning light is a kind of super luxury caution light. It is made according to international advanced technology and fashionable style. It has characteristics of advanced structure, graceful line, beautiful surface and so on. We adopt the PC materials as the chimney, so it make the light become ore bright, ametabolic and bring more perfect impacts to the light. It is ideal warning equipment in the Field of the police, fire proof, fire protection, ambulance car and other special fields.
- Dome Color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1275*425*260mm
- Power : 270W
- N.W/G.W:18.8KGS/21KGS
- QTY/CARTON:1SET

LTF6101

Traffic Revolving Lightbar






SPECIFICATION :

- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength warning
- Power: 150W
- Dome Color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size:1250*355*300mm
- N.W/G.W:15.5KGS/17.5KGS

LTF6301

Trapezoidal Revolving Lightbar




SPECIFICATION :

- Power: 180W
- Light Sources: Halogen Bulbs
- Color : Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1280*370*260mm
- N.W/G.W: 14.5KGS/16.5KGS
- QTY PER CARTON: 1PC

LTF7100

Revolving Lightbar



SPECIFICATION :

- Dome : Imported high-strength PC material with excellent lustrous and high penetrating-for ability.
- Base: Aluminum alloy material with high strength.
- Bulb : 12 strobes and over 10 flashes bulbs .
- Dome Color : Blue, Red, Amber, Clear
- Packing Size: 1250*850*275mm
- Power : 245W
- N.W/G.W: 23KGS/25KGS
- QTY PER CARTON: 1PC

LTF-1131

Long Emergency Lightbar




SPECIFICATION :

- Feature: 4 Rotating light
- Voltage: DC12V/DC24V
- Length: 1214mm
- Chassis material: Aluminum
- Working Temperature: $-40^{\circ}\text{C} \sim +50^{\circ}\text{C}$
- Lifetime $\geq 5000 \times 10^4 \text{h}$
- Material of lens: Polycarbonate (PC)
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Size: 1214*296*195mm
- Meas: 1250*370*260mm
- N.W/G.W: 12/15KGS

- The lampshade is made from high quality polycarbonate material; the base is made from Aluminum metal alloy
- The power supply capability is stable, The maintenance of power supply mold is free for whole-life.
- It adopts high quality impulse stroboscopic lamp with life time more than 5 millions cycles, high brightness and stability.
- Reflector adopt CAM as assistant process to heighten 20% luminous efficiency.
- With American CMOS chip of MICRO and control program by oneself design, we can control the stroboscopic modes freely.

LTF-1156

Long Emergency Lightbar



SPECIFICATION :

- Feature: 5 Rotating light
- Voltage: DC12V/DC24V
- Length: 1214mm
- Chassis material: Aluminum
- Size: 1214*296*195mm
- Meas: 1250*370*260mm
- Working Temperature: $-40^{\circ}\text{C} \sim +50^{\circ}\text{C}$
- Lifetime $\geq 5000 \times 10^4 \text{h}$
- Material of lens: Polycarbonate (PC)
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- N.W/G.W: 12/15KGS

- The lampshade is made from high quality polycarbonate material; the base is made from Aluminum metal alloy, the middle barrel made from stainless steel.
- The power supply capability is stable, The maintenance of power supply mold is free for whole-life.
- It adopts high quality impulse stroboscopic lamp with life time more than 5 millions cycles, high brightness and stability.
- Reflector adopt CAM as assistant process to heighten 20% luminous efficiency.
- With American CMOS chip of MICRO and control program by oneself design, we can control the stroboscopic modes freely.

LTF-1231 Long Emergency Strobe Lightbar



LTF-1331 Long Emergency LED Lightbar





SPECIFICATION :

- The lampshade is made from high quality polycarbonate material; the base is made from Aluminum metal alloy, the middle barrel made from stainless steel.
- The power supply capability is stable, The maintenance of power supply mold is free for whole-life.
- It adopts high quality impulse strobe lamp with life time more than 5 millions cycles, high brightness and stability.
- Reflector adopt CAM as assistant process to heighten 20% luminous efficiency.
- With American CMOS chip of MICRO and control program by

oneself design, we can control the stroboscopic modes freely.

- Voltage:DC 12V/DC24V
- Power :100W
- Light sources:Xenon(LTF-1231),LED(LTF-1331)
- Chassis material:Aluminum
- Material of lens :Polycarbonate (PC)
- Size:1214*296*195mm
- Meas: 1250*370*260mm
- Dome Color :Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear

LED4200 LED Light Bar




SPECIFICATION :

- LED4200, a kind of luxury caution light, is our company latest product that is designed with advanced technology.
- It adopts 64 pieces (8 groups x 8 pieces) super brightness LEDs as front-light major lamp-house.
- The backlight outfits 6 program lights and BCH-04 bulb controller.
- The light bar has many traits such as advanced internal frame,

Low power consumption, free pollution and so on.

- The chimney is made of transplant PC materials, so it makes the light get higher penetrative ability.
- It is particularly fit for police, fire proof, ambulance and other special fields.
- Packing Size:1225*530*220mm
- Net Weight :15KGS

LTF-C1000 Rotator Lightbar

LTF-C2000 Strobe Lightbar

LTF-C3000 LED Lightbar


LTF-C1000



LTF-C3000



LTF-C2000

SPECIFICATION :

- The lampshade is made from high quality polycarbonate material; the base is made from Aluminum metal alloy, the middle barrel made from stainless steel.
- The power supply capability is stable, The maintenance of power supply mold is free for whole-life.
- It adopts high quality impulse stroboscopic lamp with life time more than 5 millions cycles, high brightness and stability.
- Reflector adopt CAM as assistant process to heighten 20% luminous efficiency.
- With American CMOS chip of MICRO and control program by oneself design, we can control the stroboscopic modes Freely.

- Feature: 2 Single directional pulse xenon light, 2 Triple/4 Bidirectional pulse xenon light (LTF-C2000), 12 LED pulse light (LTF-C3000), 4 Bidirectional rotator (LTF-C1000)
- Voltage: DC12V/DC24V
- Chassis material: Aluminum
- Size: 1180*490*198mm
- Meas: 1250*570*245mm
- Material of lens Polycarbonate (PC)
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- N.W/G.W: 19.5/21.5KGS