

LED628


Dual Talon LED Light



LED628


LED289

LED Strobe Light



LED289C-8

LED Strobe Light



LED289

SPECIFICATION(LED628) :

- Life Span: 100,000 12/24V
- G-3 LEDs with 16 Linear LED bulbs
- 15 flash patterns to pick from Cigarette light plug can be installed .
- Removable windshield hood (prevents flashback)
- Swivel bracket for permanent or suction cup mounting.
- Lighter plug with an on/off switch.
- Anti-glare coating on outer lens
- Perfect for rearview mirror, rear deck applications

SPECIFICATION(LED289):


- Voltage : DC 12
- LED Power: 1W
- Color:Red,Blue,Amber White
- Material:Aluminium housing
- Light Source:LEDs

- Packing Size:660*320*295mm
- QTY Per Carton:20PCS
- N.W/G.W:16KGS/17.5KGS


SPECIFICATION(LED289C-8):

- Voltage : DC 12/24V
- This light is made up with one controller and eight light-heads, those light-heads are made of high brightness LED lights, the controller use microcomputer programming chip, and constant voltage circuit design.
- This light has high brightness, low power loss, long life and so on the merits, it has a lot of kinds of flash pattern offer to choose and power off memory function.
- Easy to install and it suit all kinds of automobile vehicle installing.
- Has 15 flash patterns and Waterproof and shake -proof

LED61F Deck LED Light



LED61F-2 Double LED Light




SPECIFICATION:

- Powered by 12V
- Weather-proof housing
- 8 Generation 3 LEDs per module
- 4W per module

- 15 available flash patterns
- TIR optics
- Non-volatile memory recalls last flash pattern
- Lifespan of up 100,000 hours
- Anti-glare coating on outer lens

LED64 Deck LED Light



SPECIFICATION(LED64):

- Powered by 12V DC
- High intensity Gen2 0.5Watt LEDs
- 100,000 hours life span
- Available flash patterns
- Durable housing protects against moisture and vibration
- Weather damage resistant LEDs
- Dimensions: 95mm L x 51mm W x 30mm H

LED-A6-9 LED Grille Light




- Aluminum weather-proof housing
- Signal or Pair use including a switch box

SPECIFICATION(LED-A6-9):

- Powered by 12V
- 18 PCS G-3 1W LED Bulbs
- Waterproof at all 9 feet of cable provided
- Life Span of 100,000 hours


LED216-2 Doubler LED Lighthouse



SPECIFICATION(LED216-2):

- Voltage : DC 12/24V
- Life Span: 100,000 , G-3 LEDs with 4 bulbs
- 15 flash patterns to pick from Cigarette light plug can be installed
- Perfect for rearview mirror, rear deck applications

LED200 Grill LED Light



- Weather damage resistant LEDs
- Durable housing protects against moisture and vibration

SPECIFICATION:

- 40pcs 0.2W LEDs
- 15 flash patterns
- Color:Red ,Blue ,Amber ,Clear

LED218 Dash LED Light




SPECIFICATION(LED218):

- Voltage : DC 12/24V
- Life Span: 100,000
- G-3 LEDs with 32 bulbs
- 15 flash patterns to pick from Cigarette light plug can be installed and 4 kinds colors (red , amber ,blue and clear)to choose
- Perfect for interior and outer applications .

LED217 Super LED Lighthouse



LED262-6 Grille LED Light



LED263 Super LED Lighthouse



SPECIFICATION(LED217):

- Life Span: 100,000 12/24V G-3 LEDs
- Adopting newest extra bright 6 LEDs as light sources;
- Long life, extra brightness and low power consumption;
- Colored light sources with special optical lenses for excellent signaling effect, with the feature of Low heat emission, Long service life, Low power consumption, energy saving, brightness, high visibility and durability.

SPECIFICATION(LED262-6/LED263):

- Voltage : DC 12/24V
- Electric Current : less than 1.2A
- Life Span: 100,000 G-3 LEDs with 6 bulbs(LED262-6)
- Life Span: 100,000 G-3 LEDs with 8 bulbs(LED263)
- 16 flash patterns to pick up and can flash two light heads together For synchronization .
- Perfect for rearview mirror, rear deck applications.

LED214A

Single Grille LED Lighthouse



LED214C

Surface Mount Linear LED



LED214B

Double Grille LED Lighthouse



LED214D

Surface Mount Linear LED




SPECIFICATION(LED214A/B):

- Powered by DC12V,DC24V
- High intensity 3 x Gen3 LEDs(LED214A/B)
- High intensity 6 x Gen3 LEDs(LED214C/D)
- 100,000 hours life span
- 15 flash patterns to pick from Cigarette light plug can be


installed

- Perfect for rearview mirror, grille and rear deck applications
- Durable housing protects against moisture and vibration
- Weather damage resistant LEDs
- Aluminum weather-proof housing


LED215 Grille LED Light



LED216 Surface Mount LED



LED216B Small Surface Mount LED




SPECIFICATION(LED215):

- Voltage : DC 12/24V
- Electric Current : less than 1.2A
- Life Span: 100,000 G-3 LEDs with 8 bulbs
- 18 flash patterns to pick up and can flash two light heads together for synchronization .
- Perfect for rearview mirror, rear deck applications.

SPECIFICATION(LED216/LED216B):

- Voltage : DC 12/24V , Life Span: 100,000
- G-3 LEDs with 4 bulbs (LED216); G-3 LEDs with 6 bulbs (LED216B)
- 15(LED216: 15 flash patterns; LED216B: 19 flash patterns) flash patterns to pick from Cigarette light plug can be installed
- Perfect for rearview mirror, rear deck applications
- Weather damage resistant LEDs
- Durable housing protects against moisture and vibration

LED216C Grill LED Lighthouse



LED216D Grill LED Lighthouse



LED216F Grill LED Lighthouse



SPECIFICATION(LED216C):

- Voltage : DC 12/24V
- Average current draw:500mA@12.8VDC
- Max current draw: 700mA@12.8VDC
- Color: Red/Blue/Amber/Clear
- Waterproof and shockproof
- Generation III 1W LED surface mount lighthouse

- Weather and vibration resistant
- Self-contained 16 patterns
- Alternating or simultaneous flashing
- 4 wires for simple set-up - 1 pos, 1 Neg, 1 sync, 1 pattern,
- 6 X 1 watt LED elements
- Dimensions: 5.1" wide x 1.1" high x 0.8" deep




LED216K Grille LED Lighthouse



LED219B Grill LED Lighthouse



LED265 Dash LED Light



SPECIFICATION(LED216K):

- Optics: REFLEX
- Flash Patterns: 19
- Pattern Memory:Yes
- Housing:Aluminium/PolyCarbonate
- Brackets included: Surface Mount
- Lifespan:100,000 H
- Bulb: 1 Watt LED x 8 pcs
- Color: Red,Blue,Amber,Green,Clear
- High intensity LED surface mount light
- Wide angle warning light
- Tiny size,aluminum base
- Rugged ,water resistant
- Dimensions: 144x50x41mm

SPECIFICATION(LED219B):

- Voltage: 9-30V DC

- 1W Gen-III LED tube, Total 8 pcs LED tube;
- 26 kinds pattern & pattern memory • Aluminum base easy to cooling;
- Support synchronous or asynchronous above 2 sets
- Support hi/low power changed
- Protection grade: Ip67
- Easy to install
- Available in various colors, color can mix and match
- Dimensions:134X49X37mm

SPECIFICATION(LED265):

- 1). G-3 LEDs with 8 bulbs
- 2). 18 flash patters to pick up and can flash two lighthoods together for synchronization .
- 3). Weather-proof housing 4). Perfect for rearview mirror, grille and rear deck applications
- 5). Perfect for police fire EMS and construction vehicle lighting and airforce 6). Waterproof and shakeproof

LED216E Grille LED Lighthouse



SPECIFICATION(LED216E):

- Work voltage:DC12V/DC24V
- Generation III 1W LED surface mount light head
- Weather and vibration resistant
- Waterproof and shockproof
- Self-contained 16 patterns
- Alternating or simultaneous flashing
- 4 wires for simple set-up - 1 pos, 1 Neg, 1 pattern,
- 6x1 watt LED elements

LED216S Grille LED Lighthouse



SPECIFICATION(LED216S):

- Work voltage:DC12V-DC24V
- Material of lens:PC
- Color:Red/Blue/Amber/Clear
- Waterproof and shockproof
- LED surface mount lighthouse
- Weather and vibration resistant
- Alternating or simultaneous flashing
- Dimensions:121.5x19.9x20

LED261 Super LED Lighthouse




LED361 Dash/Deck LED Light




LED262 Super LED Lighthouse




LED362 Dash/Deck LED Light




LED261



LED262



LED361



LED362

SPECIFICATION(LED261/LED262):

- Voltage : DC 12/24V
- Electric Current : less than 1.2A
- Life Span: 100,000 G-3 LEDs with 4 bulbs (LED262:8 bulbs)
- 16 flash patterns to pick up and can flash two lighthouses together for synchronization .
- Perfect for rearview mirror, rear deck applications

SPECIFICATION(LED361/LED362):

- Voltage : DC 12/24V
- Electric Current : less than 1.2A
- Life Span: 100,000 G-3 LEDs with 4 bulbs(LED362:6 bulbs)
- 18 flash patterns to pick up and can flash two lighthouses together for synchronization .
- Perfect for rearview mirror, rear deck applications.





LED36H Grille LED Lighthouse



LED38H Grille LED Lighthouse



LED-13 LED Light



SPECIFICATION(LED36H):

This is hands down, the brightest PAR36 in existence! 10 diodes + Extreme linear optics = no equal! Perfect for any application. Fog lights, surface mount, Harley Davidson, box truck, you name it. As long as there's a PAR36 specific size opening, we have the light and the mount for you! Check the Brackets & Mounts sections for options!

- Voltage: 12/24VDC
- Current : Max. 0.75 Amps
- Flash Patterns: 10
- Bulb: 1W LED x 7 or 10 pcs
- Colors: Amber, Red, Blue, Green, White

SPECIFICATION(LED38H):

- The optical of this light is different from LED36H

- Voltage: 12/24VDC
- Current : Max. 0.8 Amps
- Flash Patterns: 15
- Bulb: 1W LED x 10
- Colors: Amber, Red, Blue, Green, White

SPECIFICATION(LED-13):

- Runs on 18PCS Generation 2 0.5W TIR LEDs
- Current : 1.45A
- Clear lens and red/blue/amber/clear/green LEDs.
- 12V and 2 meters spring cords with cigarette plug.
- 100,000 hours life span
- 7 flash patterns including steady burn, California Flash patterns (2 kinds), all flashing, double flash ,double 2 flash ,double 4 flash .